



Feature phone



Ex-Handy10-ROW-DZ1OMN-ANDC00..

- Replaceable SIM
- Global certificates - a common hardware platform
- Android 8.1 operating system
- Wireless connections such as WWAN, 4G LTE, WLAN, etc.
- Android Enterprise Recommended verified device
- GPS
- NFC technology for wireless applications
- Service contract
- Programmable hardware buttons
- Special buttons for lone worker protection (LWP) applications
- Latest available Android version for this device

Ex-Handy 10 DZ1 (DIV 1 & Zone 1/21), latest available Android firmware release, with camera, version for Oman



Technical Data

General specifications

Function	The Ex-Handy 10 is full WEA 2.0 compliant and is also supporting WEA 3.0 features / functionality except advanced geo location tagging.
----------	---

Hardware

Processor	Qualcomm Snapdragon MSM8909
Working memory	RAM 2 GByte
Camera	
Main camera	8 MP Autofocus , LED flash
Optional data memory	Micro SD flash card up to 128 GByte
Internal data memory	16 GByte
Speaker	Forward facing main speaker with Gore® cone
Microphone	Dual-mic solution with three selectable background noise suppression options

Indicators/operating means

Display	Can be operated while wearing gloves Extreme shock and scratch resistant Gorilla® glass
Touchscreen technology	Capacitive multitouch
Screen diagonal	6.6 cm
Key	PTT / Alarm / Power / Multifunction / Volume / Hardware buttons for Android features

Electrical specifications

Battery type	Li-Ion battery 16.3 WH 3.7 V 4400 mAh
Operating duration	LTE standby time: up to 600 h

Communication

Mobile standard	
2G	GSM: 850 MHz, 900 MHz, 1800 MHz, 1900 MHz
3G	UMTS: 850 MHz, 900 MHz, 1700 MHz, 1900 MHz, 2100 MHz
4G	LTE FDD: B1, B2, B3, B4, B5, B7, B8, B11, B12, B13, B20, B21, B25, B26, B28, B66, B71 LTE TDD: B38, B39, B40, B41
WLAN	802.11 a/b/g/n/e/k/r/h (2,4 GHz + 5 GHz)
Bluetooth	Bluetooth® 4.2
GPS sensor	GPS, A-GPS, Glonass, Beidou
NFC	yes

Release date: 2020-12-10 Date of issue: 2020-12-10 Filename: 480985-100022_eng.pdf

Refer to "General Notes Relating to Pepperl+Fuchs Product Information".

Pepperl+Fuchs Group
www.pepperl-fuchs.com

USA: +1 330 486 0002
pa-info@us.pepperl-fuchs.com

Germany: +49 621 776 2222
pa-info@de.pepperl-fuchs.com








Singapore: +65 6779 9091
pa-info@sg.pepperl-fuchs.com

PEPPERL+FUCHS

Technical Data

SIM card	1 x Nano SIM (4FF)
Software	
Operating system	Android™ 8.1 , Android™ Zero Touch , Google Play
SMS/MMS	yes
Ambient conditions	
Ambient temperature	-20 ... 60 °C (-4 ... 140 °F)
Mechanical specifications	
Degree of protection	IP68 , MIL-STD-810G
Connection	Waterproof magnetic USB 2.0 port 3.5 mm jack connection with special ecom mounting solution
Mass	approx. 330 g
Dimensions	H x W x D 148 mm x 67 mm x 24 mm
Data for application in connection with hazardous areas	
ATEX approval	
ATEX certificate	EPS 19 ATEX 1 015 X
ATEX marking	⊕ II 2G Ex ib op is IIC T4 Gb IP64 ⊕ II 2D Ex ib op is IIIC T120°C Db Ta = -20 °C to +60 °C
International approvals	
CSA approval	
CSA certificate	Class I, II, III, Division 1, Groups A-G, T4 Ex ib IIC T4 Gb / Ex ib IIIC T120°C Db CL I, Zone 1 AEx ib op is IIC T4 Gb Zone 21 AEx ib IIIC T120°C Db
IECEX approval	
IECEX certificate	IECEX EPS 19.0008X
IECEX marking	Ex ib op is IIC T4 Gb IP64 Ex ib op is IIIC T120°C Db Ta = -20 °C to +60 °C
Approved for	Oman
General information	
Scope of delivery	Ex-Handy 10 Li-Ion battery Charger USB cable Screwdriver Documentation

Accessories

	RL ID01	Retractable Lanyard
	CR-Ex H10	Cradle for Ex-Handy 10
	DS S02	Docking station
	TORX T8 SCREWDRIVER	Torx screwdriver for Smart-Ex® 02 & Ex-Handy 10
	LC H10	Leather case for Ex-Handy 10
	TC S02 Travel Charger	Travel charger
	LH H10	Leather holster

Release date: 2020-12-10 Date of issue: 2020-12-10 Filename: 480985-100022_eng.pdf

Refer to "General Notes Relating to Pepperl+Fuchs Product Information".

Pepperl+Fuchs Group
www.pepperl-fuchs.com









USA: +1 330 486 0002
pa-info@us.pepperl-fuchs.com

Germany: +49 621 776 2222
pa-info@de.pepperl-fuchs.com

Singapore: +65 6779 9091
pa-info@sg.pepperl-fuchs.com

 **PEPPERL+FUCHS**

Accessories

	SUCTION CUP HOLDER	Suction cup holder for Smart-Ex 02 & Ex-Handy 10
	BC-Ex	Belt clip with QuickFix
	CC S01-R	Car charger
	ST 01	Stylus pen
	Tether ST 01 Stylus	Stylus tether
	MINI QD LOOP	Mini QD Loop
	EXT-C2LCOIL CLIP2LOOP COIL	Clip2Loop Coil Tether
	PC S02	USB Charging Cable for Smart-Ex 02 and Ex-Handy 10

Release date: 2020-12-10 Date of issue: 2020-12-10 Filename: 480985-100022_eng.pdf

Refer to "General Notes Relating to Pepperl+Fuchs Product Information".

Pepperl+Fuchs Group
www.pepperl-fuchs.com

USA: +1 330 486 0002
pa-info@us.pepperl-fuchs.com

Germany: +49 621 776 2222
pa-info@de.pepperl-fuchs.com

Singapore: +65 6779 9091
pa-info@sg.pepperl-fuchs.com